



WATER SYSTEMS



DOMESTIC PURIFICATION CATALOGUE

DOMESTIC PURIFICATION CATALOGUE

The human body needs a constant supply of clean, healthy drinking water. Even if most municipal water supplies have been treated, your drinking water can contain bacteria and viruses, suspended solids, and harmful levels of chlorine. Furthermore, hard water causes scaling. The scale can clog pipes, ruin water heaters and decrease the life-span of the household appliances.

Aqua manufactures a wide range of home water purification equipments, whose installation and maintenance are easy and convenient.

The benefits you can get using Aqua products are:

- Crystal, clear, safe and pure drinking water.
- More effectiveness of the household appliances (water heaters, boilers, washing machine..).
- A significant saving on energy and maintenance costs.



INDEX

DOMESTIC PURIFICATION **p. 2**

- AQUA SELECT p. 4
- AQUA SMART - AQUA TOP
AQUA MASTER p. 5
- SALVALAVATRICE p. 7
- AQUA QUICK 01 p. 8
- AQUA QUICK 02
AQUA QUICK 03 p. 9
- PITCHER p. 10

ULTRA FILTRATION **p. 11**

- AQUA SIMPLEX p. 12
- AQUA TRIPLEX p. 13

REVERSE OSMOSIS (RO) **p. 14**

- ARO DUPLEX p. 15
- ARO TRIPLEX p. 16
- ARO TRIPLEX PLUS p. 17
- ARO DIRECT OS p. 18
- ARO DIRECT US p. 19

AQUA SELECT

Faucet filter

Quick installation.
Ideal for cooking and drinking water.
Replaceable cartridge filters up to 900 Lt (240 Gallons).
Reduces chlorine, bad taste and odour (with carbon cartridge).
Bacteria removal (with ceramic cartridge).

TECHNICAL FEATURES

Body: ABS
Sump: transparent SAN
O.RING: NBR 70 Sh
Working pressure: 5 bar max
Burst pressure: 20 bar max
Working temperature: 0°C + 50°C min/max

CODE	PRODUCT	FUNCTION	FLOW-RATE (LT/MIN)
A8090010	AQUA Select Carbon	reduces chlorine taste, odor	1,5
A8090020	AQUA Select Ceramic	bacteria removal	0,8

CODE	SPARE PARTS AND ACCESSORIES
A8090030	AQUA SELECT Carbon Cartridge 2 pcs
A8090040	AQUA SELECT Ceramic Cartridge
A6010500	Faucet adapter kit




Selector valve for filtered water on demand.
Cartridge change reminder.



A6010500
Threaded universal adapters
to fit most faucets brands.

AQUA SELECT



A8090030
Carbon cartridge x 2

REPLACEABLE CARTRIDGE



A8090040
Ceramic cartridge


AQUA SMART – AQUA TOP – AQUA MASTER

Very easy to install, it perfectly fits all kinds of taps. Provided with universal adapter.
Electric power supply is not required for operating.
Easy-to-replace cartridge.


With a single cartridge you can obtain up to 10.000 bottles of good quality potable water.

TECHNICAL FEATURES

- Head: PP
- Sump: PP
- O.RING: NBR 70 Sh food grade
- Working pressure: 8 bar max
- Burst pressure: 35 bar max
- Working temperature: 0°C + 50°C min/max
- Life test: 200.000 cycles from 0-10 bar



One Cartridge



Saves up to 10.000 Lt bottles of water with a single filter!

1 CARTRIDGE = UP TO 10.000 BOTTLES OF WATER



AQUA SMART - AQUA TOP - AQUA MASTER

CODE	PRODUCT	FUNCTION	FLOW-RATE (LT/MIN)
A805C000	AQUA Top CTO-E	reduces chlorine	4
A805B000	AQUA Top Ceramic	anti-bacterial	2
A805U000	AQUA Top Ultra-safe	reduces chlorine and bacteria	1
A805S000	AQUA Top FRN melt blown 1 micron	reduces sediment	25

CODE	PRODUCT	FUNCTION	FLOW-RATE (LT/MIN)
A806C000	AQUA Master CTO-E	reduces chlorine	4
A806B000	AQUA Master Ceramic	anti-bacterial	2
A806U000	AQUA Master Ultra-safe	reduces chlorine and bacteria	1
A806S000	AQUA Master FRN melt blown 1 micron	reduces sediment	25

CODE	PRODUCT	FUNCTION	FLOW-RATE (LT/MIN)
A807C000	AQUA Smart CTO-E	reduces chlorine	4
A807B000	AQUA Smart Ceramic	anti-bacterial	2
A807U000	AQUA Smart Ultra-safe	reduces chlorine and bacteria	1
A807S000	AQUA Smart FRN melt blown 1 micron	reduces sediment	25

CODE	SPARE PARTS AND ACCESSORIES
A4220050	CTO-E Cartridge
A4180010	Ceramic Cartridge
A9030130	Ultra-safe Cartridge
A4240250	FRN melt blown 1 micron Cartridge
A6010010	Closing keys for bowl
A6010180	By-pass M22x1 plastic/brass
A6010500	Adaptor kit for M22x1 by-pass



SALVALAVATRICE

Antiscale System

The "SALVALAVATRICE" model is an economic antiscale system, based on polyphosphate salts, for your washing machines, to fit directly onto the machine water supply. Compact and made of plastic materials with high performances it is easy to install and plumber is not needed. The "SALVALAVATRICE" protects your washing machines from scale deposit and reduces amount of detergent required. **WARNING: DON'T USE FOR DRINKABLE WATER!!!**

TECHNICAL FEATURES

Head: PP
 Sump: SAN transparent
 O.RING: NBR 70 Sh
 Working pressure: 8 bar max
 Burst pressure: 35 bar max
 Working temperature: 0°C + 50°C min/max
 Suggested Flow Rate: Max 8/10 lt/min
 Life test: 200.000 cycles from 0-10 bar

CODE	PRODUCT	FLOW-RATE (LT/MIN)
A8030010	SALVALAVATRICE G3/4"	8/10

CODE	SPARE PARTS
A6010080	500 gr Plastic container with polyphosphate (sufficient for 3 refills)



SALVALAVATRICE



AQUA QUICK 01 - Water filter

Single stage (carbon filter)

Under-sink water filter for chlorine removal.

Very easy to install and maintain

Quick changing cartridge, no tool needed.

Supplied with complete installation kit (wall bracket, sink faucet, tee connector, PE tube)

TECHNICAL FEATURES

Connection: Fast Fitting with 4x6 PE tube

Filter: Granular activated carbon filter

CODE	PRODUCT	FUNCTION
A9020120	AQUA QUICK 01	Reduces chlorine

CODE	SPARE PARTS
A452Q030	Carbon Cartridge
A6010150	Faucet AQUA BLOCK
P9020140	4x6 PE tube



AQUA QUICK 02 – Water filter

Twin stage (1st: polypropylene / 2nd: carbon filter)

Under-sink water filter for chlorine removal, 2 stages. Very easy to install and maintain. Quick changing cartridge, no tool needed.
Supplied with complete installation kit
(wall bracket, sink faucet, tee connector, PE tube)

CODE	PRODUCT	FUNCTION
A9020130	AQUA QUICK 02	Reduces Chlorine and sediment

TECHNICAL FEATURES

Filter: 1st: Polypropylene sediment filter
2nd: Granular activated carbon filter
Connection: Fast Fitting with 4x6 PE tube

CODE	RICAMBI
A452Q030	Carbon Cartridge
A452Q010	Sediment Cartridge 1 µm
A6010150	Faucet AQUA BLOCK
P9020140	4x6 PE tube



AQUA QUICK 03 – Water filter

Triple stage (1st: polypropylene / 2nd-3rd: carbon filter)


Under-sink water filter for chlorine removal, 3 stages. Very easy to install and maintain.
Quick changing cartridge, no tool needed.
Supplied with complete installation kit
(wall bracket, sink faucet, tee connector, PE tube)

TECHNICAL FEATURES

Connection: Fast Fitting with 4x6 PE tube
Filter: 1st: Polypropylene sediment filter
2nd: Granular activated carbon filter
3rd: Granular activated carbon filter

CODE	PRODUCT	FUNCTION
A9020140	AQUA QUICK 03	Reduces Chlorine and sediment

CODE	SPARE PARTS
A452Q030	Carbon Cartridge
A452Q010	Sediment Cartridge 1 µm
A6010150	Faucet AQUA BLOCK
P9020140	4x6 PE tube



UNDER SINK

PITCHER (Water Filter Jug)

Good, pure and safe water.

Ideal to prepare hot drinks (tea, coffee, soup) and cold drinks (cocktails ice).

Suitable for washing, shaving, brushing teeth, for children and dietary courses.

Good for flowers and pets drinking.

TECHNICAL FEATURES

Filters: Granular activated carbon

Dimensions (WxDxH): 230x160x260

CODE	PRODUCT	FUNCTION
A9020190	AQUA PITCHER	Reduces Chlorine and taste

CODE	SPARE PARTS
A9020200	REPLACEMENT CARTRIDGE



Non-skid handle and hermetically sealed cover.



Balanced center of gravity.



Replacement cartridge inside. A9020200.

Ag
SILVER



PITCHER

Five stage purification.
Silver impregnated. Food grade plastic.

ULTRA-FILTRATION

Aqua ultra-filtration system provides a complete point-of-use filtration, ideal to eliminate particles, viruses, bacteria, and endotoxins for a safer and cleaner water.

With small dimension and new design this filter grants water quality as high and safe as the normal RO system.

The filter can be installed over the kitchen sink and connected to the tap, or collocated under the kitchen sink then connected to a separate delivery tap.

With Aqua ultra-filtration you have crystal and pure water flowing directly from your faucet.

REVERSE OSMOSIS (RO)

The reverse osmosis has proven to be the most valid and efficient technique for water filtration thanks to its capacity to eliminate almost all the contaminants present in the water.

Aqua RO system reduces the levels of total dissolved solids and suspended matters and also reduces high levels of nitrates, sulfates and sodium resulting in crystal, pure and safe water.

Our domestic RO systems (4 or 5 stages) are small, compact and efficient thus easy to install under the kitchen sink. The installation Kit includes a pressurized storage tank (12 litres) certified NSF and a delivery tap for the treated water supply.



ARO DUPLEX

Reverse Osmosis Water System

All food grade materials.

Functional components have been passed cycle or burst testing.

TECHNICAL FEATURES

4 STAGE SYSTEM W/O BOOSTER PUMP

Membrane: TFC 50 GPD

Filters: 1st: PP sediment 5µm

2nd: Carbon block

Post carbon: GAC in-line

4 way shutoff valve

12lt storage tank

Plastic tank valve 1/4"

Operating pressure: 0,5-3,0 BAR

Instruction manual included


Installation kit included

CODE	PRODUCT
A9020070	ARO DUPLEX

CODE	SPARE PARTS AND ACCESSORIES
A4220050	CTO Cartridge
A4240270	FRN Cartridge 5 micron
P9020060	POST-IN LINE Cartridge
A6010150	Faucet AQUA BLOCK
P9020150	50 GPD membrane
P9020140	PE TUBE



UNDER SINK - R.O. SYSTEM



ARO TRIPLEX

Reverse Osmosis Water System

All food grade materials. Functional components have been passed cycle or burst testing.

TECHNICAL FEATURES

5 STAGE SYSTEM

Membrane: TFC 50 GPD

Filters: 1st: PP sediment 5µm

2nd: Carbon block

3rd: PP sediment 1µm

Post carbon: GAC in-line

4 way shutoff valve

12lt storage tank

Plastic tank valve 1/4"

Operating pressure: 0,5-3,0 BAR

Instruction manual included

Installation kit included

CODE	PRODUCT
A9020080	ARO TRIPLEX

CODE	SPARE PARTS AND ACCESSORIES
A4220050	CTO Cartridge
A4240250	FRN Cartridge 1 Micron
A4240270	FRN Cartridge 5 Micron
P9020060	POST-IN LINE Cartridge
A6010150	Faucet AQUA BLOCK
P9020150	50 GPD membrane
P9020140	PE TUBE



UNDER SINK - R.O. SYSTEM



ARO TRIPLEX PLUS

Reverse Osmosis Water System

All food grade materials. Functional components have been passed cycle or burst testing.

TECHNICAL FEATURES

5 STAGE SYSTEM WITH BOOSTER PUMP

Membrane: TFC 50 GPD

Filters: 1st: PP sediment 5µm

2nd: Carbon block

3rd: PP sediment 1µm

Post carbon: GAC in-line

4 way shutoff valve

12lt storage tank

Plastic tank valve 1/4"


Operating pressure: 0,5-3,0 BAR

Instruction manual included

Installation kit included

CODE	PRODUCT
A9020090	ARO TRIPLEX PLUS

CODE	SPARE PARTS AND ACCESSORIES
A4220050	CTO Cartridge
A4240250	FRN Cartridge 1 Micron
A4240270	FRN Cartridge 5 Micron
P9020060	POST-IN LINE Cartridge
A6010150	Faucet AQUA BLOCK
P9020150	50 GPD membrane
P9020140	PE TUBE



UNDER SINK - R.O. SYSTEM



ARO DIRECT OS

Reverse Osmosis Water System (Aqua Design)

Over sink direct RO system, smart design, no tank required, very high flow rate and quick maintenance.

TECHNICAL FEATURES

Membrane: TFC 100 GPD X3	Plastic ball valve 3/8"
Filters: 1st: PP sediment 10 µm	With pressure gauge
2nd: Granular activated carbon	Push button water output
3rd: PP sediment 1 µm	Operating pressure: 0,5-3 BAR
Post carbon: GAC 10" in-line	Dimensions (WxDxH): 580x230x420 mm

CODE	PRODUCT	FLOW RATE (LT/MIN)
A9020100	ARO DIRECT OS	0,5

CODE	SPARE PARTS AND ACCESSORIES
A452Q010	Cartridge PP 1 Micron Quick Change
A452Q020	Cartridge PP 10 Micron Quick Change
A452Q030	Cartridge GAC Quick Change
A9020050	100 GPD membrane
P9020140	4x6 PE Tube



Easy installation.



ARO DIRECT US

Reverse Osmosis Water System

Under sink direct RO system, smart design, no tank required, very high flow rate and quick maintenance.

TECHNICAL FEATURES

Membrane: TFC 100 GPD X3	Plastic ball valve 3/8"
Filters: 1st: PP sediment 10 µm	With pressure gauge
2nd: Granular activated carbon	Push button water output
3rd: PP sediment 1 µm	Operating pressure: 0,5-3 BAR
Post carbon: GAC 10" in-line	Dimensions (WxDxH): 580x230x420 mm

CODE	PRODUCT	FLOW RATE (LT/MIN)
A9020110	ARO DIRECT US	0,5

CODE	SPARE PARTS AND ACCESSORIES
A452Q010	Cartridge PP 1 Micron Quick Change
A452Q020	Cartridge PP 10 Micron Quick Change
A452Q030	Cartridge GAC Quick Change
A9020050	100 GPD membrane
P9020140	4x6 PE Tube 2mt
A6010150	Faucet AQUA BLOCK



Easy installation.

UNDER SINK - Reverse Osmosis

